



AENOR Product Certificate



001/006499

AENOR certifies that the organization

REBOCA, S.L.

registered office CL CLARIANO, 6 - 46850 L'OLLERIA (Valencia - España)

supplies **Fittings for polypropylene pipes for hot and cold water installations**

in compliance with UNE-EN ISO 15874-1:2013 (EN ISO 15874-1:2013)
UNE-EN ISO 15874-3:2013 (EN ISO 15874-3:2013)

TRADEMARK REPOLEN

See annex for more information.

Production site CL CLARIANO, 6 - 46850 L'OLLERIA (Valencia - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.16.

First issued on 2015-11-03
Last issued on 2023-04-03
Validity 2028-04-03

Rafael GARCÍA MEIRO
CEO





AENOR Product Certificate

001/006499

Annex to Certificate

TRADEMARK REPOLEN

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Body of valve	20 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	83700XXXX
Bracket flange	20 - 25 - 63 - 75 - 90 - 110 - 125	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	84910XXXX
Bracket flange long	63 - 75 - 90	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	849110XXX
Cross pipe	20 - 25	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	835XXXXXXX
Elbow 45°	16 - 20 - 25 - 32 - 40 - 63 - 90 - 110 - 125	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82300XXXX
Elbow 90°	16 - 20 - 25 - 32 - 40 - 50 - 63 - 75 - 90 - 125	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82200XXXX
End cap	16 - 20 - 25 - 32 - 63 - 75 - 110	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82600XXXX
Equal tee	16 - 20 - 32 - 50 - 63 - 75 - 125	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82400XXXX
Male Pipe adapte	90x63 ; 90x75 ; 110x63 ; 110x75 ; 110x90 ; 125x63 ; 125x75 ; 125x90	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	8410XXXXX
Male-Female reduction	20x16 ; 25x20 ; 32x20 ; 32x25 ; 50x20 ; 50x25 ; 50x32 ; 63x20 ; 63x25 ; 63x40 ; 63x50 ; 75x50 ; 75x63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82001XXXX
Pipe adapter	40x20 ; 50x20 ; 63x20 ; 75x20 ; 90x20 ; 110x20	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	8400XXXXX
Pipe adapter with platten	25	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	845000200
Reduced tee	20x16x16 ; 20x25x20 ; 20x25x25 ; 25x20x25 ; 20x20x25 ; 25x16x25 ; 32x20x32 ; 32x25x25 ; 32x25x32 ; 50x20x50 ; 50x25x50 ; 50x32x50 ; 50x40x50 ; 63x20x63 ; 75x32x75 ; 75x40x75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	825XXXXXX
Reduction	20x16 ; 25x16 ; 25x20 ; 32x20 ; 32x25 ; 40x32 ; 50x40 ; 63x50 ; 75x50 ; 90x75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82000XXXX

First issued on 2015-11-03
 Last issued on 2023-04-03
 Validity 2028-04-03



AENOR INTERNACIONAL S.A.U.
 Génova, 6. 28004 Madrid. España
 Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

001/006499

Annex to Certificate

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Socket	16 - 20 - 25 - 32 - 40 - 50 - 63 - 75 - 90	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82100XXXX
Thread female elbow 90°	16 - 20 - 25 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	830XXXXXX
Thread female pipe adapter	40 - 50 - 63 - 75 - 90 - 110 - 125	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	8451XXXXX
Thread female socket	16 - 20 - 25 - 32 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82702XXXX
Thread female tee	20 - 25 - 32 - 63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	829022XXX
Thread female wall elbow 90°	16 - 20 - 25	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	83102XXXX
Thread male elbow 90°	16 - 20 - 25 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	84101XXXX
Thread male pipe adapter	75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	84520XXXX
Thread male socket	16 - 20 - 25 - 32 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	82801XXXX
Thread male tee	25	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	84001XXXX
Thread male wall elbow 90°	16	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	Yes	PP-R	832011XXX

First issued on 2015-11-03
Last issued on 2023-04-03
Validity 2028-04-03



AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com